

# 7 Continuous-Time Fourier Series

## Recommended Problems

### P7.1

- (a) Suppose that the signal  $e^{j\omega t}$  is applied as the excitation to a linear, time-invariant system that has an impulse response  $h(t)$ . By using the convolution integral, show that the resulting output is  $H(\omega)e^{j\omega t}$ , where  $H(\omega) = \int_{-\infty}^{\infty} h(\tau)e^{-j\omega\tau} d\tau$ .
- (b) Assume that the system is characterized by a first-order differential equation

$$\frac{dy(t)}{dt} + ay(t) = x(t).$$

If  $x(t) = e^{j\omega t}$  for all  $t$ , then  $y(t) = H(\omega)e^{j\omega t}$  for all  $t$ . By substituting into the differential equation, determine  $H(\omega)$ .

### P7.2

- (a) Suppose that  $z^n$ , where  $z$  is a complex number, is the input to an LTI system that has an impulse response  $h[n]$ . Show that the resulting output is given by  $H(z)z^n$ , where

$$H(z) = \sum_{n=-\infty}^{\infty} h[n]z^{-n}.$$

- (b) If the system is characterized by a first-order difference equation,

$$y[n] + ay[n - 1] = x[n],$$

determine  $H(z)$ .

### P7.3

Find the Fourier series coefficients for each of the following signals:

(a)  $x(t) = \sin\left(10\pi t + \frac{\pi}{6}\right)$

(b)  $x(t) = 1 + \cos(2\pi t)$

(c)  $x(t) = [1 + \cos(2\pi t)] \left[ \sin\left(10\pi t + \frac{\pi}{6}\right) \right]$

*Hint:* You may want to first multiply the terms and then use appropriate trigonometric identities.

### P7.4

By evaluating the Fourier series analysis equation, determine the Fourier series for the following signals.

(a)




Figure P7.4-1

(b)




Figure P7.4-2

**P7.5**

Without explicitly evaluating the Fourier series coefficients, determine which of the periodic waveforms in Figures P7.5-1 to P7.5-3 have Fourier series coefficients with the following properties:

- (i) Has only odd harmonics
- (ii) Has only purely real coefficients
- (iii) Has only purely imaginary coefficients

(a)






Figure P7.5-1

(b)




(c)



## Optional Problems

**P7.6**

Suppose  $x(t)$  is periodic with period  $T$  and is specified in the interval  $0 < t < T/4$  as shown in Figure P7.6.



Sketch  $x(t)$  in the interval  $0 < t < T$  if

- (a) the Fourier series has only odd harmonics and  $x(t)$  is an even function;
- (b) the Fourier series has only odd harmonics and  $x(t)$  is an odd function.

**P7.7**

Let  $x(t)$  be a periodic signal, with fundamental period  $T_0$  and Fourier series coefficients  $a_k$ . Consider the following signals. The Fourier series coefficients for each can

be expressed in terms of the  $a_k$  as in Table 4.2 (page 224) of the text. Show that the expression in Table 4.2 is correct for each signal.

- (a)  $x(t - t_0)$
- (b)  $x(-t)$
- (c)  $x^*(t)$
- (d)  $x(\alpha t)$ ,  $\alpha > 0$  (Determine the period of the signal.)

**P7.8**

As we have seen in this lecture, the concept of an eigenfunction is an extremely important tool in the study of LTI systems. The same can also be said of linear but time-varying systems. Consider such a system with input  $x(t)$  and output  $y(t)$ . We say that a signal  $\phi(t)$  is an *eigenfunction* of the system if

$$\phi(t) \rightarrow \lambda\phi(t)$$

That is, if  $x(t) = \phi(t)$ , then  $y(t) = \lambda\phi(t)$ , where the complex constant  $\lambda$  is called the *eigenvalue associated with  $\phi(t)$* .

- (a) Suppose we can represent the input  $x(t)$  to the system as a linear combination of eigenfunctions  $\phi_k(t)$ , each of which has a corresponding eigenvalue  $\lambda_k$ .

$$x(t) = \sum_{k=-\infty}^{+\infty} c_k \phi_k(t)$$

Express the output  $y(t)$  of the system in terms of  $\{c_k\}$ ,  $\{\phi_k(t)\}$ , and  $\{\lambda_k\}$ .

- (b) Show that the functions  $\phi_k(t) = t^k$  are eigenfunctions of the system characterized by the differential equation

$$y(t) = t^2 \frac{d^2 x(t)}{dt^2} + t \frac{dx(t)}{dt}$$

For each  $\phi_k(t)$ , determine the corresponding eigenvalue  $\lambda_k$ .

**P7.9**

In the text and in Problem P4.10 in this manual, we defined the periodic convolution of two periodic signals  $\tilde{x}_1(t)$  and  $\tilde{x}_2(t)$  that have the same period  $T_0$ . Specifically, the periodic convolution of these signals is defined as

$$\tilde{y}(t) = \tilde{x}_1(t) \otimes \tilde{x}_2(t) = \int_{T_0} \tilde{x}_1(\tau) \tilde{x}_2(t - \tau) d\tau \tag{P7.9-1}$$

As shown in Problem P4.10, any interval of length  $T_0$  can be used in the integral in eq. (P7.9-1), and  $\tilde{y}(t)$  is also periodic with period  $T_0$ .

- (a) If  $\tilde{x}_1(t)$ ,  $\tilde{x}_2(t)$ , and  $\tilde{y}(t)$  have Fourier series representations

$$\tilde{x}_1(t) = \sum_{k=-\infty}^{+\infty} a_k e^{jk(2\pi/T_0)t}, \quad \tilde{x}_2(t) = \sum_{k=-\infty}^{+\infty} b_k e^{jk(2\pi/T_0)t}, \quad \tilde{y}(t) = \sum_{k=-\infty}^{+\infty} c_k e^{jk(2\pi/T_0)t},$$

show that  $c_k = T_0 a_k b_k$ .

- (b) Consider the periodic signal  $\tilde{x}(t)$  depicted in Figure P7.9-1. This signal is the result of the periodic convolution of another periodic signal,  $\tilde{z}(t)$ , with itself.

Find  $\tilde{z}(t)$  and then use part (a) to determine the Fourier series representation for  $\tilde{x}(t)$ .




Figure P7.9-1

- (c) Suppose now that  $x_1(t)$  and  $x_2(t)$  are the finite-duration signals illustrated in Figure P7.9-2(a) and (b). Consider forming the periodic signals  $\tilde{x}_1(t)$  and  $\tilde{x}_2(t)$ , which consist of periodically repeated versions of  $x_1(t)$  and  $x_2(t)$  as illustrated for  $\tilde{x}_1(t)$  in Figure P7.9-2(c). Let  $y(t)$  be the usual, aperiodic convolution of  $x_1(t)$  and  $x_2(t)$ ,

$$y(t) = x_1(t) * x_2(t),$$

and let  $\tilde{y}(t)$  be the periodic convolution of  $\tilde{x}_1(t)$  and  $\tilde{x}_2(t)$ ,

$$\tilde{y}(t) = \tilde{x}_1(t) \otimes \tilde{x}_2(t)$$

Show that if  $T_0$  is large enough, we can recover  $y(t)$  completely from one period of  $\tilde{y}(t)$ , that is,

$$y(t) = \begin{cases} \tilde{y}(t), & |t| \leq T_0/2, \\ 0, & |t| > T_0/2 \end{cases}$$




Figure P7.9-2

**P7.10**

The purpose of this problem is to show that the representation of an arbitrary periodic signal by a Fourier series, or more generally by a linear combination of any set of orthogonal functions, is computationally efficient and in fact is very useful for obtaining good approximations of signals. (See Problem 4.7 [page 254] of the text for the definitions of orthogonal and orthonormal functions.)

Specifically, let  $\{\phi_i(t)\}$ ,  $i = 0, \pm 1, \pm 2, \dots$ , be a set of orthonormal functions on the interval  $a \leq t \leq b$ , and let  $x(t)$  be a given signal. Consider the following approximation of  $x(t)$  over the interval  $a \leq t \leq b$ :

$$\hat{x}_N(t) = \sum_{i=-N}^{+N} a_i \phi_i(t), \quad (\text{P7.10-1})$$

where the  $a_i$  are constants (in general, complex). To measure the deviation between  $x(t)$  and the series approximation  $\hat{x}_N(t)$ , we consider the error  $e_N(t)$  defined as

$$e_N(t) = x(t) - \hat{x}_N(t) \quad (\text{P7.10-2})$$

A reasonable and widely used criterion for measuring the quality of the approximation is the energy in the error signal over the interval of interest, that is, the integral of the squared-error magnitude over the interval  $a \leq t \leq b$ :

$$E = \int_a^b |e_N(t)|^2 dt \quad (\text{P7.10-3})$$

(a) Show that  $E$  is minimized by choosing

$$a_i = \int_a^b x(t) \phi_i^*(t) dt \quad (\text{P7.10-4})$$

*Hint:* Use eqs. (P7.10-1) to (P7.10-3) to express  $E$  in terms of  $a_i$ ,  $\phi_i(t)$ , and  $x(t)$ . Then express  $a_i$  in rectangular coordinates as  $a_i = b_i + jc_i$ , and show that the equations

$$\frac{\partial E}{\partial b_i} = 0 \quad \text{and} \quad \frac{\partial E}{\partial c_i} = 0, \quad i = 0, \pm 1, \pm 2, \dots, \pm N,$$

are satisfied by the  $a_i$  as given in eq. (P7.10-4).

(b) Determine how the result of part (a) changes if the  $\{\phi_i(t)\}$  are orthogonal but not orthonormal, with

$$A_i = \int_a^b |\phi_i(t)|^2 dt$$

(c) Let  $\phi_n(t) = e^{jn\omega_0 t}$  and choose any interval of length  $T_0 = 2\pi/\omega_0$ . Show that the  $a_i$  that minimize  $E$  are as given in eq. (4.45) of the text (page 180).

MIT OpenCourseWare  
<http://ocw.mit.edu>

**Resource: Signals and Systems**  
Professor Alan V. Oppenheim

The following may not correspond to a particular course on MIT OpenCourseWare, but has been provided by the author as an individual learning resource.

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.